

### Wrecking Bars



- High carbon steel, spraying paint or plastic
- Point head tapered design
- Color box packing

ITEM NO.	SIZE
6512-0801	6" 12" 16" 18"

### Wood Chisel Wooden handle



- Drop forged Chrome-Vanadium steel blade
- Heat-treated for edge retention blade edge honed steel butt
- Designed for heavy pounding with a hammer or mallet
- Ergonomic grip handle

ITEM NO.	SIZE
6513-0101	1/4"
6513-0102	1/2"
6513-0103	3/4"
6513-0104	1"

### High-impact Acetate Wood Chisel



- Chrome-Vanadium steel with beveled edge
- Tapered blade for balance
- Steel end cap for striking power
- Durable acetate grip handle

ITEM NO.	SIZE
6513-0201	1/4"
6513-0202	1/2"
6513-0203	3/4"
6513-0204	1"
6513-0205	1-1/4"
6513-0206	1-1/2"

### Letter Punch



- Number and letters includes A-Z&0-8
- Make permanent imprints in metal, plastic, leather, and wood
- Heavy-duty Chrome-Vanadium for durable use

ITEM NO.	SIZE
6514-0101	1/16"
6514-0102	3/16"
6514-0103	5/16"
6514-0104	5/32"
6514-0105	1/8"
6514-0106	3/8"
6514-0107	1/4"



# MEASURING TOOLS

**Feeler Gauge**



- 6pcs 3-5/16" long type A brass blade connect with rivet
- Sizes in mm and inch on each blade

ITEM NO.	Blades	Range(mm/inch)	Combination of blades
6601-0101	6	Metric: 0.152-0.406 Inch: .006-.016	Metric: 0.152-0.203-0.254-0.305-0.356-0.406 Inch: .006-.008-.010-.012-.014-.016"

**Feeler Gauge**



- Hardened spring steel blades, chrome plated case with rivet
- Sizes in mm and inch on each blade
- Include 9pcs 3" long type A brass blades, 5pcs 1" long mini blades, a electrode adjuster and a 2" long ruler

ITEM NO.	Blades	Range(mm/inch)	Combination of blades
6601-0201	3"X9	Metric: 0.051-0.635 Inch: .002-.025	Metric: .051-0.076-0.102-0.152-0.203-0.305-0.330-0.508-0.635 Inch: .002-.003-.004-.006-.008-.012-.013-.020-.025
6601-0202	1"X5	Metric: 0.64-1.12 Inch: .025-.044	Metric: 0.64-0.75-0.88-1.02-1.12 Inch: .025-.030-.035-.040-.044

**Feeler Gauge**



- Hardened spring steel blades, chrome plated case with big lock nut
- Sizes in mm and inch on each blade
- 9 pcs 3" long tapered blades, add a electrode adjuster

ITEM NO.	Blades	Range(mm/inch)	Combination of blades
6601-0301	9	Metric: 0.381-0.889 Inch: .015-.035	Metric: 0.381-0.483-0.508-0.559-0.635-0.711-0.762-0.889 Inch: .015-.019-.020-.022-.025-.028-.030-.035

**Feeler Gauge**



- Hardened spring steel blades, chrome plated case with big lock nut
- Sizes in mm and inch on each blade
- 4" long offset blades

ITEM NO.	Blades	Range(mm/inch)	Combination of blades
6601-0401	16	Metric: 0.127-0.508 Inch: .005-.020	Metric: 0.127-0.152-0.178-0.203-0.229-0.254-0.279-0.305-0.330-0.356-0.381-0.406-0.432-0.457-0.483-0.508 Inch: .005-.006-.007-.008-.009-.010-.011-.012-.013-.014-.015-.016-.017-.018-.019-.020
6601-0402	12	Metric: 0.203-0.660 Inch: .008-.026	Metric: 0.203-0.254-0.305-0.330-0.356-0.381-0.406-0.457-0.483-0.508-0.635-0.660 Inch: .008-.010-.012-.013-.014-.015-.016-.018-.019-.020-.025-.026

**Feeler Gauge**



- Hardened spring steel blades, chrome plated case with big lock nut
- Sizes in mm and inch on each blade
- Include 12 pcs 3-5/16" long type A steel blades and 6pcs brass blades, 2 bars with 6 wires and a electrode adjuster

ITEM NO.	Blades	Range(mm/inch)	Combination of blades
6601-0501	Steel: 12 Brass: 6 Wire: 6	Metric: 0.254-0.660/Inch: .010-.026" Metric: 0.152-0.406/Inch: .006-.016" Metric: 0.635-1.14/Inch: .025-.045"	Metric: 0.254-0.305-0.381-0.406-0.432-0.457-0.483-0.508-0.559-0.610-0.635-0.660/Inch: .010-.012-.015-.016-.017-.018-.020-.006-.008-.010-.012-.014-.016 Metric: 0.635-0.762-0.864-0.889-1.02-1.14/Inch: .025-.030-.034-.035-.040-.045

**Feeler Gauge**



- Hardened spring steel blades, chrome plated case with big lock nut
- Sizes in mm and inch on each blade
- 4" long offset blades

ITEM NO.	Blades	Range(mm/inch)	Combination of blades
6601-0601	26	Metric: 0.127-0.762 Inch: .005-.030	Metric: 0.127-0.152-0.178-0.203-0.229-0.254-0.279-0.305-0.330-0.356-0.381-0.406-0.432-0.457-0.483-0.508-0.533-0.559-0.584-0.610-0.635-0.660-0.686-0.711-0.737-0.762 Inch: .005-.006-.007-.008-.009-.010-0.11-.012-.013-.014-.015-.016-.017-.018-.019-.020-.021-.022-.023-.024-.025-.026-.027-.028-.029-.030

**Feeler Gauge**



- For internal and external measurement
- Fine cutted threads

ITEM NO.	Blades	Range(mm/inch)	Combination of blades
6601-0701	20	4-48 Thread type:55°	4.0-4.5-5.0-6.0-7.0-8.0-9.0-10.0-11.0-12.0-14.0-16.0-18.0-19.0-20.0-22.0-24.0-28.0-40.0-48.0
6601-0702	20	0.5-7.0mm Thread type:60°	0.5-0.6-0.7-0.75-0.8-1.0-1.25-1.5-1.75-2.0-2.5-3.0-3.5-4.0-4.5-5.0-5.5-6.0-6.5-7.0mm
6601-0703	52	0.25-6.00mm/4-62 Thread type:60°/55°	0.25-0.30-0.35-0.40-0.45-0.50-0.60-0.70-0.75-0.80-0.9-1.00-1.25-1.50-1.75-2.00-2.50-3.00-3.50-4.00-4.50-5.00-5.50-6.00mm 4-4.5-5-6-7-8-9-10-11-12-13-14-16-18-19-20-22-24-25-26-28-30-32-36-40-48-60-62

**Feeler Gauge**



- Hardened spring steel blades, chrome plated case with big lock nut
- Sizes in mm and inch on each blade
- 4" long offset blades

ITEM NO.	Blades	Range(mm/inch)	Combination of blades
6601-0801	12	Metric:0.203-0.660 Inch:.008-.026	Metric:0.203-0.254-0.305-0.330-0.356-0.381-0.406-0.457-0.483-0.508-0.635-0.660mm Inch: .008-.010-.012-.013-.014-.015-.016-.018-.019-.020-.025-.026

**Tape Measure**



- New ABS case, 50# carbon steel blade
- Blade: shining finish, matt finish, nylon coated

ITEM NO.	SIZE
6602-0501	3m×13mm
6602-0502	3m×19mm

**Tape Measure**



- New ABS case, 50# carbon steel blade, TPR coated
- Blade: shining finish, matt finish, nylon coated

ITEM NO.	SIZE
6602-0601	3m×16mm
6602-0602	3m×19mm
6602-0603	5m×19mm
6602-0604	5m×25mm
6602-0605	7.5m×25mm
6602-0606	10m×25mm

**Frame Type Tape Measure**



- For ABS shell material high hardness and high brightness
- High quality aluminium alloy material

- Elastic material of the grip, feel comfortable
- Nylon cladding feet
- Steel tape measure for general surveying, civil engineering, architecture, coast, rivers, mud measurements

ITEM NO.	SIZE
6602-0701	30m/100ft
6602-0702	50m/165ft

**Frame Type Tape Measure**



- For ABS shell material high hardness and high brightness
- High quality aluminium alloy material

- Elastic material of the grip, feel comfortable
- Nylon cladding feet
- Steel tape measure for general surveying, civil engineering, architecture, coast, rivers, mud measurements

ITEM NO.	SIZE
6602-0801	30m/100ft
6602-0802	50m/165ft

**Tape Measure**



- New ABS case, 50# carbon steel blade
- Blade: shining finish, matt finish, nylon coated

ITEM NO.	SIZE
6602-0901	10m/33ft
6602-0902	20m/66ft
6602-0903	30m/100ft
6602-0904	50m/165ft

**Spirit Level**



- Crystal clear vials readable in any direction with no change in accuracy tolerance
- Provides an accurate line of site for precise measuring
- Great for horizontal or vertical marking

ITEM NO.	SIZE
6603-0101	24"/60cm
6603-0102	32"/80cm
6603-0103	40"/100cm
6603-0104	48"/120cm
6603-0105	60"/150cm
6603-0106	72"/180cm
6603-0107	80"/200cm

**Spirit Level**



- Crystal clear vials readable in any direction with no change in accuracy tolerance
- Provides an accurate line of site for precise measuring
- Great for horizontal or vertical marking

ITEM NO.	SIZE
6603-0201	12"/30cm
6603-0202	16"/40cm
6603-0203	20"/50cm
6603-0204	24"/60cm
6603-0205	32"/80cm
6603-0206	40"/100cm
6603-0207	48"/120cm
6603-0208	60"/150cm

**Spirit Level**



- Crystal clear vials readable in any direction with no change in accuracy tolerance
- Provides an accurate line of site for precise measuring
- Great for horizontal or vertical marking

ITEM NO.	SIZE
6603-0301	12"/30cm
6603-0302	16"/40cm
6603-0303	20"/50cm
6603-0304	24"/60cm
6603-0305	32"/80cm
6603-0306	40"/100cm
6603-0307	48"/120cm
6603-0308	60"/150cm

**Spirit Level**



- Crystal clear vials readable in any direction with no change in accuracy tolerance
- Provides an accurate line of site for precise measuring
- Great for horizontal or vertical marking

ITEM NO.	SIZE
6603-0401	16"/40cm
6603-0402	20"/50cm

**Spirit Level**



- Crystal clear vials readable in any direction with no change in accuracy tolerance
- Provides an accurate line of site for precise measuring
- Great for horizontal or vertical marking

ITEM NO.	SIZE
6603-0501	9"/225mm
6603-0502	6"/150mm

**Spirit Level**



- Crystal clear vials readable in any direction with no change in accuracy tolerance
- Provides an accurate line of site for precise measuring
- Great for horizontal or vertical marking

ITEM NO.	SIZE
6603-0601	4"/100cm

**Fiber Tape**



- Feet with a high grade of glass fiber, printing legible and resistant to wear
- Foot high, strength ABS plastic shell

ITEM NO.	SIZE
6604-0101	10m/33ft
6604-0102	15m/50ft
6604-0103	20m/66ft
6604-0104	30m/100ft
6604-0105	50m/165ft

**Fiber Tape**



- Feet with a high grade of glass fiber, printing legible and resistant to wear.
- Foot high, strength ABS plastic shell

ITEM NO.	SIZE
6604-0201	10m/33ft
6604-0202	15m/50ft
6604-0203	20m/66ft
6604-0204	30m/100ft
6604-0205	50m/165ft

**Fiber Tape**



- Feet with a high grade of glass fiber, printing legible and resistant to wear
- Foot high, strength ABS plastic shell

ITEM NO.	SIZE
6604-0301	10m/33ft
6604-0302	20m/66ft
6604-0303	30m/100ft
6604-0304	50m/165ft

**Fiber Tape**



- Feet with a high grade of glass fiber, printing legible and resistant to wear
- Foot high, strength ABS plastic shell

ITEM NO.	SIZE
6604-0401	10m/33ft
6604-0402	20m/66ft
6604-0403	30m/100ft
6604-0404	50m/165ft
6604-0405	100m/330ft

**Fiber Tape**



- Feet with a high grade of glass fiber, printing legible and resistant to wear
- Foot high, strength ABS plastic shell

ITEM NO.	SIZE
6604-0501	30m/100ft

**Fiber Tape**



- Feet with a high grade of glass fiber, printing legible and resistant to wear
- Foot high, strength ABS plastic shell

ITEM NO.	SIZE
6604-0601	30m/100ft
6604-0602	50m/165ft


**Folding Layout Triangle**



- Easy to use, faster, more accurate, folds to store.

ITEM NO.	SIZE
6605-0101	24"
6605-0102	48"

**Triangular Scale Rulers**




- Triangular engineer's ruler features three sides with six different scales
- Professional-grade for supreme accuracy
- Color-coded grooves for quick and accurate selection of the desired scale
- Made from high grade anodized aluminium

ITEM NO.	SIZE
6605-0201	4"
6605-0202	6"
6605-0203	12"
6605-0204	20"

**Aluminium Angle Squares with LED Light**

- Etched stainless steel blade

ITEM NO.	SIZE
6605-0301	6"
6605-0302	8"
6605-0303	10"
6605-0304	12"



**Combination Square**

- Precision machined die-cast aluminium stock
- With removable brass scribe and impact-resistant acrylic vial
- Etched stainless steel blade


ITEM NO.	SIZE
6605-0401	12"




**Combination Square**

- Precision machined die-cast aluminium stock
- With removable brass scribe and impact-resistant acrylic vial
- Etched stainless steel blade

ITEM NO.	SIZE
6605-0501	12"



**Black Painted Square**



- High-grade aluminium alloy

ITEM NO.	SIZE
6605-0601	8"X12"
6605-0602	16"X24"

**Aluminum T-Square**



- Aluminium body with powder coating
- Heavy duty 3/16" thick blade

ITEM NO.	SIZE
6605-0701	48"
6605-0702	54"

**Stainless Steel Rulers**



- Stainless steel
- Easy to read
- Graduations on both sides

ITEM NO.	SIZE
6605-0801	6"
6605-0802	8"
6605-0803	10"
6605-0804	12"
6605-0805	16"
6605-0806	20"
6605-0807	24"
6605-0808	36"
6605-0809	40"
6605-0810	60"
6605-0811	80"